

David Weeks Studio

New York-based and Brooklyn-made, David Weeks Studio produces functional objects with a sculptural approach. The Studio employs a reductive design process, dismantling materials to reveal surprising new forms. Our explorations hinge on the concept of balance and proportion, often with a sense of humor. From lighting and furniture to toys and household products—our practice generates pieces that bring their environment to life.

David Weeks Studio

38 Walker Street

New York, NY 10013


DavidWeeksStudio.com

facebook.com/DavidWeeksStudio

Adjustable Arc Lamp

TECHNICAL SPECIFICATIONS

No. 109



Bullet shade option



Bottle shade option

Description

The Adjustable Arc features a counterweighted arm that adjusts up and down to desired height. The handspun aluminum shade rotates 320 degrees to allow for focused directional light.

Materials

Shade: Powder coated aluminum
Frame: Plated steel or brass
Counterweight: Power coated steel

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior); Bottle shade only
- Ivory Satin (ivory satin interior)

Custom colors available.

Shade Style

Bottle or Bullet shade

Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: A19 or A15 60W max
Europe: E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

3 lbs (1.4 kg)

Remarks

Available to be wired UL.
Bottle shade: On/Off switches on cord and shade.
Bullet shade: On/Off switch located on cord.
Cord color is black; length approx. 7 feet.
Counterweight and arm adjustment are always black.
Total arm length includes shade & counterweight.
Indoor use and dry locations only.

Dimensions

Base: 9" (23 cm)
Height variable.
Adjusts up to 36.5" H (93 cm)
Arm length: 33" (84 cm)




David Weeks Studio

Sarus Desk Lamp

TECHNICAL SPECIFICATIONS

No. 113



Description

The Sarus shade is mounted to a hand bent steel frame. The powder coated aluminum shade rotates for directional light.

Materials

Shade: Powder coated aluminum
Frame: Plated steel or brass
Base: Powder coated steel

Base & Shade Color

- Black Satin (ivory satin interior for shade)
- Grey Gloss (ivory satin interior for shade)
- Ivory Satin (ivory satin interior for shade)

Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: T10 tubular incandescent 60W max
Europe: E27 base (tubular 32mm recommended) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

4.5 lbs (2 kg)

Remarks

Available to be wired UL.
On/Off switch on cord.
Shade and base are same color.
Shade swivels 320 degrees.
Cord color is black;
length approx. 7 feet.
Indoor use and dry locations only.


Dimensions:

31" D x 11" W x 13.5" H
(79 D x 28 W x 34 cm H)



David Weeks Studio

No. 118



Description

The Boi Desk Lamp features a powder coated steel shade and weighted ring base. With openings at the top and bottom of its rotating shade, the lamp casts directional and ambient light.

Materials

Shade: Powder coated steel
Frame: Plated steel
Base: Powder coated steel

Base & Shade Color

- Black Satin (ivory satin interior for shade)
- Ivory Satin (ivory satin interior for shade)
- Orange Gloss (ivory satin interior for shade)

Custom colors available.

Finish

- Polished Nickel

Lamping

US/Canada: G16.5 globe bulb
60W max
Europe: E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

4.1 lbs (2 kg)

Remarks

Not UL listed.
On/Off switch located on cord.
Shade swivels 320 degrees.
Cord color is black;
length approx. 7 feet.
Indoor use and dry locations only.

Dimensions

10.5" D x 8" W x 21" H
(27 D x 20 W x 53 cm H)





David Weeks Studio

Kopra Table Lamp

TECHNICAL SPECIFICATIONS

No. 120



24" (61 cm) approx diameter



Description

With its shortened legs, the Kopra Table Lamp functions as a portable chandelier. Boi shades of varying size rest on a steel base, accented by an elongated oval handle. Each gloss shade rotates 320 degrees, radiating light from openings at the top and bottom.

Materials

Shades: Powder coated steel
Frame: Powder coated steel

Frame & Shade Color

- Black Gloss (black gloss interior)
- Grey Gloss (grey gloss interior)
- White Gloss (white gloss interior)

Custom colors available.

Lamping

US/Canada: (11)G16.5 globe bulbs
40W max, 20W recommended
Europe: (11)E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

440 watts max

Weight

21 lbs (9.5 kg)

Remarks

Not UL listed.
On/Off switch located on cord.
Cord color is black;
length approx. 7 feet.
Indoor use and dry locations only.


Dimensions

Approx diameter: 24" (61 cm)
Height: 22.5" (57 cm)



David Weeks Studio

No. 121



Description

This desk lamp features a custom cement base, cast with precise calculations to create the groove which holds its hand formed brass arm. The arm is secured using a single wooden dowel, accented by a small Boi shade.

Materials

Shade: Powder coated steel
Frame: Finished brass
Base: Cement

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Base Color

- Natural Cement
- Darkened Cement

Finish

- Brushed Brass

Lamping

US/Canada: G16.5 globe bulb
60W max
Europe: E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

8.5 lbs (4 kg)

Remarks

Available to be wired UL.
On/Off switch on cord.
Cord color is black;
length approx. 7 feet.
Fixed shade does not swivel.
Indoor use and dry locations only.

Dimensions:

9.5" D x 6" W x 39" H
(24 D x 15 W x 99 cm H)




David Weeks Studio

One Arm Sconce

TECHNICAL SPECIFICATIONS

No. 202



Description

The One Arm Sconce features a plated steel arm affixed to a solid wood wall mount and mounting ring. The arm swings from side to side with a handcrafted aluminum Bottle shade; a swivel range of 320 degrees allows light to be directed as needed.

Materials

Shade: Powder coated aluminum
Wall Mount: Finished wood
Arm: Plated steel
Mounting Ring:
Plated steel or brass

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Weight

3 lbs (1.4 kg)

Wall Mount

(to match specified shade)

- Black Satin: Stained maple (wood grain visible)
- Grey Gloss: Opaque paint on maple
- Ivory Satin: Opaque paint on maple

Lamping

US/Canada: A19 or A15 60W max
Europe: E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Remarks

UL listed.
Hardwired is standard.
Cord & plug custom.
US: Switch is on shade.
EU: Hardwired to wall; no switch on shade.
Custom arm length available (3' max).
Mounting ring material matches arm finish.
Walnut and maple wood mounts will vary in color from fixture to fixture.
Indoor use and dry locations only.

Dimensions

26.5" D x 5.5" W x 7.5" H
(67 D x 13 W x 19 cm H)
Wall mount diameter: 4.5" (11 cm)




David Weeks Studio

Two Arm Sconce

TECHNICAL SPECIFICATIONS

No. 203



Description

The Two Arm Sconce features dual arms affixed to a solid wood wall mount and mounting ring. The arms swing from side to side with handcrafted aluminum Bottle shades; a swivel range of 320 degrees on each allows light to be directed as needed.

Materials

Shade: Powder coated aluminum
Wall Mount: Finished wood
Arm: Plated steel
Mounting Ring:
Plated steel or brass

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Weight

3.5 lbs (1.6 kg)

Wall Mount

(to match specified shade)
● Black Satin: Stained maple (wood grain visible)
● Grey Gloss: Opaque paint on maple
● Ivory Satin: Opaque paint on maple

Lamping

US/Canada: A19 or A15 60W max
Europe: E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max

Remarks

UL listed.
Hardwired is standard.
Cord & plug custom.
US: Switch is on shade.
EU: Hardwired to wall; no switch on shade.
Custom arm length available (3' max).
Mounting ring material matches arm finish.
Walnut and maple wood mounts will vary in color from fixture to fixture.
Indoor use and dry locations only.


Dimensions

Height: 7.5" (19 cm)
Wall mount diameter: 4.5" (11 cm)
Arm Length: 26.5" (67 cm)
Wingspan: 53" (135 cm)



David
Weeks
Studio

No. 206



Description

Featuring our Shell shade, hand-formed by David in Brooklyn, the Shell Sconce rotates 320 degrees to provide directional light.

Materials

Shade & wall mount:
Powder coated steel
Hardware: Plated brass

Mount & Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Hardware

- Nickel
- Brass

Lamping

US/Canada: G16.5 globe bulb
40W max
Europe: E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

40 watts max

Weight

1 lb (0.5 kg)

Remarks

UL listed.
Hardwired is standard.
Switch on mount is custom.
Indoor use and dry locations only.


Dimensions

8" D x 4.5" H x 8" W
(20 D x 12 H x 20 cm W)
Wall mount diameter: 5" (13 cm)



David
Weeks
Studio

No. 209

**Description**

Featuring a steel shade with openings at both the top and the bottom, the Boi Sconce allows light to flow through the entirety of the fixture. Shade rotates to direct light horizontally or vertically.

Materials

Shade: Powder coated steel

Wall mount:

Powder coated steel

Hardware: Plated brass

Mount & Shade Color

● Black Gloss (black gloss interior)

● Black Satin (ivory satin interior)

● Grey Gloss (grey gloss interior)

● Ivory Satin (ivory satin interior)

● Orange Gloss (ivory satin interior)

● White Gloss (white gloss interior)

Custom colors available.

Hardware

● Nickel

● Brass

Lamping

US/Canada: G16.5 globe bulb

60W max

Europe: E14 golf ball 60W max

Note: Bulbs not included.

Halogen bulbs not recommended.

Wattage

60 watts max

Weight

2 lbs (1 kg)

Remarks

UL listed.

Hardwired is standard.

Switch on wall mount is custom.

Shade swivels 320 degrees.

Indoor use and dry locations only.

Dimensions

10" D x 6" W x 5" H


(25 D x 16 W x 13 cm H)

Wall mount diameter: 5" (13 cm)



David
Weeks
Studio

No. 214



Description

Featuring a large steel Boi shade with openings at both the top and the bottom, the Big Boi Sconce allows light to flow through the entirety of the fixture. Shade rotates to direct light horizontally or vertically.

Materials

Shade: Powder coated steel
Wall mount:
Powder coated steel
Hardware: Plated brass

Mount & Shade Color

- Black Gloss (black gloss interior)
- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)
- Orange Gloss (ivory satin interior)
- White Gloss (white gloss interior)

Custom colors available.

Hardware

- Nickel
- Brass

Lamping

US/Canada: A19 or A15 60W max
Europe: E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

3 lbs (1.4 kg)

Remarks


UL listed.
Hardwired is standard.
Switch on wall mount is custom.
Shade swivels 320 degrees.
Indoor use and dry locations only.

Dimensions

11" D x 8.25" W x 6.5" H
(30 D x 21 W x 17 cm H)
Wall mount diameter: 5" (13 cm)



No. 303



Description

The classic Tripod features three counterweighted arms that adjust up and down and swivel side to side. Handspun shades on each arm rotate 320 degrees to provide additional flexibility. May be ordered with Bullet or Bottle shades.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Counterweight:
Powder coated steel

Shade Style

Bottle shade or Bullet shade

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior);
Bottle shade only
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel

Lamping

US/Canada: (3)A19 or A15 60W max
Europe: (3)E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

180 watts max

Weight

16 lbs (7.3 kg)

Remarks

Not UL listed.
Bottle shade:
US: On/Off switch on shade,
dimmer on cord.
EU: On/Off dimmer switch on cord.
Bullet shade:
On/Off dimmer
switch on cord.
Cord color is black;
length approx. 10 feet.
Indoor use and dry locations only.


Dimensions

Base: 22.5" D x 16" W
(57 D x 41 cm W)
Max depth: 35.5" (89 cm)
Height variable.
Min height: 42" (107 cm)
Max height: 70.5" (179 cm)
Wingspan: 46" (117 cm)



David Weeks Studio

No. 305



Description

The Doublepod is a standing lamp that features two counter-weighted arms that adjust up and down and swivel side to side. Handspun shades rotate 320 degrees to cast light directionally.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Counterweight: Powder coated steel

Shade Style

Bottle shade or Bullet shade

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior); Bottle shade only
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel

Lamping

US/Canada: (2)A19 or A15 60W max
Europe: (2)E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max

Weight

15 lbs (7 kg)

Remarks

Not UL listed.
Bottle shade:
US: On/Off switch on shade, dimmer on cord.
EU: On/Off dimmer switch on cord.
Bullet shade:
On/Off dimmer switch on cord.
Cord color is black; length approx. 10 feet.
Indoor use and dry locations only.

Dimensions

Base: 22" D x 17" W
(56 D x 43 cm W)
Max depth: 32" (81 cm)
Height variable.
Min height: 44" (112 cm)
Max height: 67.5" (172 cm)
Wingspan: 58" (147 cm)




David Weeks Studio

Cement Standing Lamp

TECHNICAL SPECIFICATIONS

No. 307



Description

The Cement Standing Lamp features a cast cement base, finished with a stainless steel arm and the choice of a Boi or hand formed Shell shade. Shade rotates 320 degrees to direct light as needed.

Materials

Shell shade: Powder coated aluminum
Boi shade: Powder coated steel
Frame: Stainless steel
Base: Cement

Shade Color: Boi & Shell

- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)

Shade Color: Boi Only

- Black Gloss (black gloss interior)
- Orange Gloss (ivory satin interior)
- White Gloss (white gloss interior)

Custom colors available.

Base Color

- Natural Cement
- Darkened Cement

Finish

- Stainless Steel

Lamping

US/Canada: G16.5 globe bulb
60W max
Europe: E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

Shell: 40 watts max
Boi: 60 watts max

Weight

20 lbs (9 kg)

Remarks

Available to be wired UL.
On/Off dimmer on cord.
Cord color is black;
length approx. 10 feet.
Indoor use and dry locations only.

Dimensions: Boi

14" D x 6" W x 59" H
(36 D x 15 W x 150 cm H)


Dimensions: Shell

14.5" D x 9" W x 59.5" H
(37 D x 23 W x 151 cm H)



David
Weeks
Studio

No. 308



Description

With the use of counterweights, the arms of the Loop & Hook adjust to differing heights. Both arms are oriented to the left or the right based on client specifications. Large bottle shades rotate 320 degrees, allowing light to be directed from side to side.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Counterweight: Power coated steel

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel

Lamping

US/Canada: (2)A19 or A15 60W max
Europe: (2)E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max

Weight

30 lbs (11 kg)

Remarks

Not UL listed.
US: Switch on shade.
EU: On/Off dimmer on cord.
Counterweights are always black.
Cord color is black;
length approx. 10 feet.
Indoor use and dry locations only.

Dimensions

Base: 22.5" W x 25" D
(57 W x 64 cm D)
Arms: 82" and 64"
(208 cm and 163 cm)
Min height: 35" (89 cm)
Max height: 78" (201 cm)




David Weeks Studio

Torroja Standing Lamp

TECHNICAL SPECIFICATIONS

No. 309



Description

The Torroja Standing Lamp features a plated steel frame with two arms that extend over the base. Powder coated aluminum shades rotate 320 degrees, directing light up or down.

Materials

Shades: Powder coated aluminum
Frame: Plated steel

Shade Color

- Black Satin (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel

Lamping

US/Canada: (2)T10 tubular incandescent bulbs 60W max
Europe: (2)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max

Weight

30 lbs (11 kg)

Remarks

Available to be wired UL.
Dimmer switch on cord.
Cord color is black;
length approx. 10 feet.
Indoor use and dry locations only.


Dimensions

Base: 19" W x 29" D
(48 W x 74 cm D)
70" H x 51.5" D
(178 H x 131 cm D)



David
Weeks
Studio

No. 316



Description

Taking inspiration from one of our suspension fixtures, the Kopra Cluster, this fixture integrates the design into a standing lamp that rests on three steel legs and is topped with an elongated oval handle. The Kopra Standing Lamp features three different sizes of Boi shade, all made of powder coated steel. Each shade rotates independently with a swivel range of 320 degrees.

Materials

Shades: Powder coated steel
Frame: Powder coated steel

Frame & Shade Color

- Black Gloss (black gloss interior)
- Grey Gloss (grey gloss interior)
- White Gloss (white gloss interior)

Custom colors available.

Lamping

US/Canada: (11)G16.5 globe bulb, 40W max, 20W recommended
Europe: (11)E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

440 watts max

Weight

22 lbs (10 kg)

Remarks

Not UL listed.
Dimmer located on cord.
Cord color is black; length approx. 10 feet.
Indoor use & dry locations only.

Dimensions

Approx diameter: 29" (74 cm)
Height: 58" (147 cm)



David Weeks Studio

No. 317



Description

This standing lamp features a custom cement base, cast with precise calculations to create the groove which holds its hand bent brass arm. The arm is secured using a single wooden dowel, accented by a Boi shade. The fixed shade has two openings, casting light both up and down.

Materials

Shade: Powder coated steel
Frame: Finished brass
Base: Cement

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Base Color

- Natural Cement
- Darkened Cement

Finish

- Brushed Brass

Lamping

US/Canada: G16.5 globe bulb
60W max
Europe: E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

60 watts max

Weight

18.5 lbs (8 kg)

Remarks

Available to be wired UL.
Dimmer located on cord.
Cord color is black;
length approx. 10 feet.
Fixed shade does not swivel.
Indoor use and dry locations only.

Dimensions:

13" D x 7.5" W x 70" H
(33 D x 19 W x 178 cm H)




David Weeks Studio

Hanging Mobile

TECHNICAL SPECIFICATIONS

No. 405



Single tier shown above



Shown above with three tiers

Description

The Hanging Mobile is a balanced fixture, custom crafted to client specifications. With a minimum of two tiers, the Hanging Mobile can extend both horizontally and vertically. Each tier is comprised of three segments, balancing on an asymmetrical axis while allowing natural movement. Large bottle shades rotate 320 degrees.

Materials

Shades: Powder coated aluminum
Ceiling mount: Powder coated steel
Frame: Plated steel
Cable box: Plated aluminum (for nickel finish) or brass (for brass finish)
Drop: Stainless steel cable

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping (per tier)

US/Canada: (3)A19 or A15 60W max
Europe: (3)E27 base 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

180 watts max per tier

IMPORTANT: Identical bulbs must be used in each socket in order for fixture to properly balance.

Weight

Weight varies; depends on number of tiers and dimensions.
Three-tier fixture:
Approx. 24 lbs (11 kg)

Remarks

Specify drop length.
Specify tier diameter.
Specify number of tiers.
Two tier minimum (6 shades).
White electrical cord is standard.
Approx. 6" of extra cable and cord included.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Fixture custom made based on client specifications.
Minimum diameter: 60" (152 cm)
Maximum diameter: 120" (3 m)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height:
Two tiers: 28" (71 cm)
Three tiers: 35" (89 cm)





David Weeks Studio

Cross Cable

TECHNICAL SPECIFICATIONS

No. 407



Shown above with two tiers

Description

The Cross Cable features a plated frame and handspun shades that rotate 320 degrees. Customizable with longer or shorter tiers. Additional tiers can be added.

Materials

Shades: Powder coated aluminum
Ceiling Mount: Powder coated steel
Frame: Plated steel
Cable box: Plated aluminum (for nickel finish) or brass (for brass finish)
Drop: Stainless steel cable

Shade Color

- Black Satin (ivory satin interior)
- Grey Gloss (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping (per tier)

US/Canada: (2)A19 or A15 60W max
Europe: (2)E27 base 60W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

120 watts max per tier

IMPORTANT: Identical bulbs must be used in each socket in order for fixture to properly balance.

Weight

Weight varies; depends on number of tiers and dimensions.
Two-tier fixture: approx. 9 lbs (4 kg)

Remarks

Specify drop length.
Specify tier length.
Specify number of tiers.
Two tier minimum (4 shades).
White electrical cord is standard.

Remarks (cont'd)

Angle of tiers is set to 90 degrees, unless otherwise specified.
Approx. 6" of extra cable and cord included.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.


Dimensions

Standard tier length: 55" x 55" (140 x 140 cm)
Tier length can be customized between 36 - 96" (92 - 244 cm)
Ceiling mount diameter: 5" (13 cm)
Standard distance between tiers: 7" (18 cm)
Minimum overall height: 15" (38 cm)



David
Weeks
Studio

No. 418



Shown above with three tiers

Description

The Tri Boi is a highly customizable fixture, offering an expanding number of tiers with varying dimensions. Each tier of its plated steel frame has three arms and rotating Boi shades with openings at the top and bottom. Four standard diameters are available; measurements can also be made exactly to client specifications.

Materials

Shades: Powder coated steel
Ceiling mount: Powder coated steel
Frame: Plated steel
Cable hubs: Plated brass
Drop: Stainless steel cable

Shade Color

- Black Gloss (black gloss interior)
- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)
- Orange Gloss (ivory satin interior)
- White Gloss (white gloss interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping (per tier)

US/Canada: (3)G16.5 globe bulb
60W max
Europe: (3)E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

180 watts max per tier

Weight

Weight varies; depends on number of tiers and dimensions.
3-tier fixture: approx. 15 lbs (7 kg)

Remarks

Specify drop length.
Two tier minimum (6 shades).
Specify number of tiers.
Tiers may be specified with different diameters.
Ceiling mount always same color as shades.

Remarks (cont'd)


White electrical cord is standard.
Approx. 6" of extra cable and cord included.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Tiers are available in four standard diameters:
39.5" / 48.5" / 56.5" / 64.5"
(100 cm / 123 cm / 145 cm / 165 cm)
or specify custom tier diameters.
Ceiling mount diameter: 5" (13 cm)
Standard distance between tiers: 7" (18 cm)
Minimum overall height:
Two tiers: 13" (33 cm)
Three tiers: 20" (51 cm)



No. 419

**Description**

The Oval Boi has a plated frame with six rotating shades on two tiers: two arms on the top tier, and four arms on the bottom tier. Shades rotate 320 degrees and tiers are available in four diameters; they can also be customized to client specifications.

Materials

Shades: Powder coated steel
Ceiling mount: Powder coated steel
Frame: Plated steel
Cable hubs: Plated brass
Drop: Stainless steel cable

Shade Color

- Black Gloss (black gloss interior)
- Black Satin (ivory satin interior)
- Grey Gloss (grey gloss interior)
- Ivory Satin (ivory satin interior)
- Orange Gloss (ivory satin interior)
- White Gloss (white gloss interior)

Custom colors available.

Standard Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: (6)G16.5 globe bulb
60W max
Europe: (6)E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

360 watts max

Weight

Approx. 9 lbs (4 kg)

Remarks

Specify drop length.
Only available in two tiers.
Specify tier diameter.
Ceiling mount color matches specified shade.
White electrical cord is standard.
Approx. 6" of extra cable and cord included.

Remarks (cont'd)

Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions


Tiers are available in four standard diameters:
39.5" / 48.5" / 56.5" / 64.5"
(100 cm / 123 cm / 145 cm / 165 cm)
Standard distance between tiers: 7" (18 cm)
or specify custom tier diameters.
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 13" (33 cm)



Torroja Cross

TECHNICAL SPECIFICATIONS

No. 425



Shown above with three tiers

Description

The Torroja Cross features a plated frame and tiers with rotating shades that cast light up or down. The number and length of tiers are fully customizable. Shades swivel 320 degrees and tiers scissor open when installed on site; arrangement is adjustable based on client specifications.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Shade Color

- Black Satin (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping (per tier)

US/Canada: (2)T10 tubular incandescent 60W max
Europe: (2)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

120 watts max per tier

Weight

Weight varies; depends on number of tiers and dimensions.
3-tier fixture: approx. 18 lbs (8 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Two tier minimum (4 shades).
Specify number of tiers.
Specify tier lengths.
Additional weight support recommended for junction box installation.

Remarks (cont'd)

Drawings above illustrate suggested orientation.
Indoor use and dry locations only.


Dimensions

Standard tier diameters (tier diameters can vary on one fixture):
52" / 65" / 76" / 82"
(132 cm / 165 cm / 193 cm / 208 cm)
or specify custom tier diameters.
Min. length of tier: 48" (122 cm)
Max. length of tier: 120" (3 m)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height:
Two tiers: 11" (28 cm)
Three tiers: 15.5" (39 cm)



**David
Weeks
Studio**

No. 427

**Description**

Balanced with an off-center counterweight, the Oseo is a single-tier fixture with a powder coated steel frame and a Boi shade extending from each of its three arms. With a swivel range of 320 degrees, each shade rotates to cast light up or down.

Materials

Shades: Powder coated steel
 Frame: Powder coated steel
 Ceiling mount:
 Powder coated steel
 Drop: Stainless steel cable

Mount, Frame & Shade Color

- Black Satin (ivory satin interior for shade)
- Grey Gloss (grey gloss interior for shade)
- Ivory Satin (ivory satin interior for shade)

Custom colors available.

Hardware

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: (3)G16.5 globe bulb
 60W max
 Europe: (3)E14 golf ball 60W max
 Note: Bulbs not included.
 Halogen bulbs not recommended.

Wattage

180 watts max

Weight

10 lbs (4.5 kg)

Remarks

Specify drop length.
 Fixture size cannot be customized.
 White electrical cord is standard.
 Approx. 6" of extra cable and cord included.
 Hardware includes counterweights, swivels, and top & bottom caps of hubs.
 Additional weight support recommended for junction box installation.
 Indoor use and dry locations only.


Dimensions

Fixture diameter: 69" (175 cm)
 Fixture height: 5" (13 cm)
 Ceiling mount diameter: 5" (13 cm)
 Arm lengths: 48.5" / 39" / 31"
 (113 cm / 98 cm / 79 cm)
 Minimum overall height: 5" (13 cm)
 Fixture height: 5" (13 cm)



David Weeks Studio

No. 428



Description

The Sarus Mobile is a carefully balanced fixture, featuring a combination of large and small Sarus shades on a plated steel frame. The powder coated aluminum shades are mounted on two tiers of differing lengths. Shades swivel 320 degrees and tiers scissor open when installed on site; arrangement is adjustable based on client specifications.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Mount & Shade Color

- Black Satin (ivory satin interior for shade)
- Grey Gloss (ivory satin interior for shade)
- Ivory Satin (ivory satin interior for shade)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: (4)T10 tubular incandescent 60W max
Europe: (4)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

240 watts max

Weight

13 lbs (6 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Tier lengths cannot be customized.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.



Dimensions

Tier 1: 82" (208 cm)
Tier 2: 69" (175 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 12.5" (32 cm)
Fixture height: 11.5" (29 cm)



David Weeks Studio

No. 428



Description

The Sarus Mobile is a carefully balanced fixture, featuring a combination of large and small Sarus shades on a plated steel frame. The powder coated aluminum shades are mounted on three tiers of differing lengths. Shades swivel 320 degrees and tiers scissor open when installed on site; arrangement is adjustable based on client specifications.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Mount & Shade Color

- Black Satin (ivory satin interior for shade)
- Grey Gloss (ivory satin interior for shade)
- Ivory Satin (ivory satin interior for shade)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: (6)T10 tubular incandescent 60W max
Europe: (6)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

360 watts max

Weight

23 lbs (10 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Tier lengths cannot be customized.
Due to the length of tiers, a natural arc occurs on the longest tier.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Tier 1: 106" (269 cm)
Tier 2: 82" (208 cm)
Tier 3: 69" (175 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 19.5" (50 cm)
Fixture height: 18" (46 cm)





David Weeks Studio

Sarus Mobile, 4 Tier

TECHNICAL SPECIFICATIONS

No. 428



Description

The Sarus Mobile is a carefully balanced fixture, featuring a combination of large and small Sarus shades on a plated steel frame. The powder coated aluminum shades are mounted on four tiers of differing lengths. Shades swivel 320 degrees and tiers scissor open when installed on site; arrangement is adjustable based on client specifications.

Materials

Shades: Powder coated aluminum
Frame: Plated steel
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Mount & Shade Color

- Black Satin (ivory satin interior for shade)
- Grey Gloss (ivory satin interior for shade)
- Ivory Satin (ivory satin interior for shade)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping

US/Canada: (8)T10 tubular incandescent 60W max
Europe: (8)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

480 watts max

Weight

33 lbs (15 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Tier lengths cannot be customized.
Due to the length of tiers, a natural arc occurs on the longest tier.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.


Dimensions

Tier 1: 132.5" (337 cm)
Tier 2: 106" (269 cm)
Tier 3: 82" (208 cm)
Tier 4: 69" (175 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 25.5" (65 cm)
Fixture height: 24.5" (62 cm)



**David
Weeks
Studio**

No. 429



Single tier shown above



Shown above with three tiers

Description

The Torroja Mobile is custom crafted to client specifications, built upon the frame of a Hanging Mobile. With a minimum of two tiers, the mobile can extend both horizontally and vertically. Shades swivel 320 degrees, and tiers balance on an asymmetrical axis to allow gentle movement.

Materials

Shades: Powder coated aluminum
Ceiling mount: Powder coated steel
Frame: Plated steel
Cable box: Plated aluminum (for nickel finish) or brass (for brass finish)
Drop: Stainless steel cable

Shade Color

- Black Satin (ivory satin interior)
- Ivory Satin (ivory satin interior)

Custom colors available.

Finish

- Polished Nickel
- Brushed Brass

Lamping (per tier)

US/Canada: (3)T10 tubular incandescent 60W max
Europe: (3)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

IMPORTANT: Identical bulbs must be used in each socket in order for fixture to properly balance.

Wattage

180 watts max per tier

Weight

Weight varies; depends on number of tiers and dimensions.
3-tier fixture: approx. 24 lbs (11 kg)

Remarks



Specify drop length.
Two tier minimum (6 shades).
Specify number of tiers.
Specify tier diameter.
White electrical cord is standard.
Approx. 6" of extra cable and cord included.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Fixture custom made based on client specifications.
Minimum diameter: 60" (152 cm)
Maximum diameter: 120" (3 m)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height:
Two tiers: 17" (43 cm)
Three tiers: 24" (61 cm)



No. 430



Description

The Hennen Mobile is a suspension fixture comprised of two offset tiers suspended from a plated steel rod. Asymmetrical tiers are comprised of long and short shades that can be set to cast light up or down. Tiers scissor open when installed on site and arrangement is adjustable based on client specifications.

Materials

Shades: Powder coated aluminum
Frame: Plated steel & aluminum
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Shade Color

○ White Gloss (white gloss interior)

Custom colors available.

Finish

● Polished Nickel

Lamping

US/Canada: (4)T10 incandescent tubular 60W max
Europe: (4)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

240 watts max

Weight

10 lbs (4.5 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Tier lengths cannot be customized.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Upper tier: 74.5" (189 cm)
Lower tier: 59" (150 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 14.5" (37 cm)
Fixture height: 13.5" (34 cm)




David Weeks Studio

Hennen Solo

TECHNICAL SPECIFICATIONS

No. 431



Description

The Hennen Solo joins two elongated shades with a central armature to create a single plane. The Solo is offered in two sizes, each comprised of shades that can be set to cast light up or down. The Hennen Solo also works well when installed in multiples.

Materials

Shades: Powder coated aluminum
Frame: Plated steel & aluminum
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Shade Color

○ White Gloss (white gloss interior)

Custom colors available.

Finish

● Polished Nickel

Lamping

US/Canada: (2)T10 incandescent tubular 60W max
Europe: (2)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

120 watts max

Weight

10 lbs (4.5 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Specify fixture length (large or small).
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Fixture length options:
Large: 90" (229 cm)
Small: 59" (150 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 8" (20 cm)
Fixture height: 5" (13 cm)





David Weeks Studio

Hennen Cross

TECHNICAL SPECIFICATIONS

No. 432



Description

Expanded to any angle from their symmetrical axis, the tiers of the Hennen Cross provide an expansive reach. Tiers are configured with large or small shades that can be set to cast light up or down. Additional tiers can be added, and any combination of large and small tiers can be specified.

Materials

Shades: Powder coated aluminum
Frame: Plated steel & aluminum
Ceiling mount: Powder coated steel
Drop: Plated steel rod

Shade Color

○ White Gloss (white gloss interior)

Custom colors available.

Finish

● Polished Nickel

Lamping (per tier)

US/Canada: (2)T10 tubular incandescent 60W max
Europe: (2)E27 base (tubular 32mm suggested) 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max per tier

Weight

Weight varies; depends on number of tiers and dimensions.
2-tier fixture: approx 15 lbs (7 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Two tier minimum.
Specify tier lengths (large or small).
Specify number of tiers.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Tier length options:
Large tier: 90" (229 cm)
Small tier: 59" (150 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 14.5" (37 cm)
Fixture height: 11.5" (29 cm)




David Weeks Studio

Kopra Burst

TECHNICAL SPECIFICATIONS

No. 433



Description

The Kopra Burst centers around a cluster of Boi shades, similar to the Kopra Cluster. Here, the balanced form expands from its central column with longer arms of varying lengths and a wider diameter. The column of powder coated steel shades is suspended from a steel drop, each shade rotating 320 degrees to direct light as desired.

Materials

Shades: Powder coated steel
Frame: Powder coated steel
Ceiling mount: Powder coated steel
Drop: Powder coated steel rod

Mount, Frame & Shade Color

- Black Gloss (black gloss interior)
- Grey Gloss (grey gloss interior)
- White Gloss (white gloss interior)

Custom colors, brushed brass frame & hardware available.

Lamping

US/Canada: (15)G16.5 globe bulb 40W max, 20W recommended
Europe: (15)E14 golf ball 40W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

600 watts max

Weight

25 lbs (11 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.


Dimensions

Approx diameter: 52" (131 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 20" (51 cm)
Fixture height: 19" (48 cm)



David Weeks Studio

No. 434



21.5" (55 cm) approx diameter



Description

The Kopra Cluster groups varying sizes of Boi shades together to create a balanced form. Mounted on powder coated steel arms extending from a central column, each shade rotates 320 degrees to direct light independently. The column is suspended from a steel drop, custom made to client specifications.

Materials

Shades: Powder coated steel
Frame: Powder coated steel
Ceiling mount: Powder coated steel
Drop: Powder coated steel rod

Mount, Frame & Shade Color

- Black Gloss (black gloss interior)
- Grey Gloss (grey gloss interior)
- White Gloss (white gloss interior)

Custom colors, brushed brass frame & hardware available.

Lamping

US/Canada: (11)G16.5 globe bulb 40W max, 20W recommended
Europe: (11)E14 golf ball 40W max
Note: Bulbs not included. Halogen bulbs not recommended.

Wattage

440 watts max

Weight

20 lbs (9 lbs)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.



Dimensions

Approx diameter: 21.5" (55 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 17" (43 cm)
Fixture height: 16" (41 cm)



David Weeks Studio

No. 435



Description

The Acaba is comprised of two different sized Boi shades mounted on opposite ends of a single, powder coated steel rod. Suspended by an off-center counterweight, each shade rotates 320 degrees with openings at the top and bottom for maximized light. This suspended fixture also works well when installed in multiples. Choose between two fixture sizes: large or small.

Materials

Shades: Powder coated steel
Frame: Powder coated steel
Ceiling mount: Powder coated steel
Drop: Powder coated steel rod

Mount, Frame & Shade Color

- Black Gloss (black gloss interior)
- Grey Gloss (grey gloss interior)
- White Gloss (white gloss interior)

Custom colors available.

Lamping

US/Canada: (1)A19 or A15 bulb and (1)G16.5 globe bulb 60W max
Europe: (1) E27 base 60W max and (1) E14 golf ball 60W max
Note: Bulbs not included.
Halogen bulbs not recommended.

Wattage

120 watts max

Weight

8 lbs (4 kg)

Remarks

Specify drop length.
Fixed drop not adjustable on site.
Specify fixture length.
Additional weight support recommended for junction box installation.
Indoor use and dry locations only.

Dimensions

Fixture length options:
Large: 81" (206 cm)
Small: 67" (170 cm)
Arm lengths from balance point:
Large: Long side: 50.5" (128 cm) / Short side: 30.5" (78 cm)
Small: Long side: 43" (100 cm) / Short side: 24" (61 cm)
Ceiling mount diameter: 5" (13 cm)
Minimum overall height: 7.5" (19 cm)
Fixture height: 6.5" (17 cm)



David
Weeks
Studio

David Weeks Studio

© 2015 David Weeks Studio, LLC. All rights reserved.

All lighting is made at David Weeks Studio in Brooklyn, New York.

David Weeks Studio reserves all rights to objects it designs and produces. No designs may be reproduced, in any form or material. The information in this catalog was correct at the time of printing. David Weeks Studio reserves the right to make changes in design and construction or discontinue products without prior notification.

spencer
interiors

spencer interiors vancouver bc
canada telephone: 604 736.1378
www.spencerinteriors.ca