



Pablo®
SWELL

SWELL

DESCRIPTION

Elegant and infinitely flexible, Swell is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell can be suspended individually, as a chandelier, or as inter-connectable shade strings to perfectly complement residential, commercial, lounge and hospitality settings alike.

DESIGNER

Pablo Studios 2015

MATERIALS

- Aluminum socket
- Anodized aluminum shade
- Aluminum check-ring
- Steel canopy
- PVC cord
- Stainless steel cable (string only)

FEATURES

- Full range dim
- For indoor and outdoor use
- Damp rated
- Interchangeable shades
- Interconnectable sockets (string only)
- Custom cord lengths available upon request


SPECIFICATIONS

- Voltage: 120V 60Hz
- Power consumption: 14.5W
- Color temperature: 2700K
- Luminosity: 800 Lumens
- Luminaire efficacy: 55 Lumens/Watt
- Color Rendition Index: 82 CRI
- 40K Hour lifespan
- Swell Single cord length: 10ft (304cm)
- Vertical mounting kit cable: 10ft (304cm) (string only)
- Horizontal mounting kit supports 12 lamps MAX
- MAX interconnected 14.5W lamps: 34
- Dark Sky compliant
- Title 20 compliant
- Global multi-plug adapter available
- 1 year warranty
- Certifications: ETL, CE, RoHS




DIMENSIONS


SWELL SINGLE




SWELL STRING 3 MIXED WITH VERTICAL CABLE



SWELL STRING 3 MIXED WITH HORIZONTAL CABLE



SWELL STRING SINGLE



FINISH OPTIONS



White /
Brass



Black /
Brass



spencer interiors
vancouver bc canada
telephone: 604.736.1378
www.spencerinteriors.ca

Pablo®

888 MARIN STREET SAN FRANCISCO, CA 94124
PABLODESIGNS.COM

SWELL SINGLE

DESCRIPTION

Elegant with undulating contours, Swell Single is an LED pendant designed to seamlessly blend the line between indoor and outdoor lighting. Swell single can be suspended individually or as a chandelier grouping to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

E26-3000K PAR LED bulb

PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL NRWHT/BRA
Swell Single Narrow (Black/Brass):	SWEL NRWBLK/BRA
Swell Single Narrow (Brass/Brass):	SWEL NRWBRABRA/BRA
Swell Single Medium (White/Brass):	SWEL MEDWHT/BRA
Swell Single Medium (Black/Brass):	SWEL MEDBLK/BRA
Swell Single Medium (Brass/Brass):	SWEL MEDBRABRA/BRA
Swell Single Wide (White/Brass):	SWEL WIDWHT/BRA
Swell Single Wide (Black/Brass):	SWEL WIDBLK/BRA
Swell Single Wide (Brass/Brass):	SWEL WIDBRABRA/BRA

LIGHT CONTROL

Hard-wired

ELV dimmer recommended

FEATURES

Fully dimmable

For indoor and outdoor use

Damp rated

Interchangeable shades

Dark Sky compliant

Title 20 compliant

SPECIFICATIONS

Voltage: 120V 60Hz

Power consumption: 11W

Color temperature: 3000K

Luminosity: 800 Lumens

Luminaire efficacy: 73 Lumens/Watt


Color Rendition Index: 82 CRI

40K hour lifespan

Cord length: 10' (305cm)

1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm

NOTES

Title 24 compliant model available upon request

Custom requests can be considered on volume orders

Clear anodized aluminum finish available on special orders



FINISHES



WHITE/
BRASS




BLACK/
BRASS




BRASS/
BRASS

DIMENSIONS


SWELL SINGLE NARROW



SWELL SINGLE MEDIUM



SWELL SINGLE WIDE



SWELL STRING 3 MIXED

DESCRIPTION

Elegant and infinitely flexible, Swell String is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String's three shade design can be mixed and matched to create dynamic groupings. Swell String can be suspended both vertically and horizontally in configurations of up to (3) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

E26-3000K PAR LED bulb

PRODUCT CODES

Swell String Mixed (White/Brass):	SWEL STR WHT/BRA
Swell String Mixed (Black/Brass):	SWEL STR BLK/BRA
Swell String Mixed (Brass/Brass):	SWEL STR BRA/BRA
Swell 12" Extension Cord (White):	SWEL STR ACC EXT 12 WHT
Swell 12" Extension Cord (Black):	SWEL STR ACC EXT 12 BLK
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT

LIGHT CONTROL

Hard-wired
ELV dimmer recommended


FEATURES

Fully dimmable
For indoor and outdoor use
Damp rated
Interchangeable shades
Interconnectable sockets

SPECIFICATIONS

Voltage: 120V 60Hz
Power consumption: 11W
Color temperature: 3000K
Luminosity: 800 Lumens
Luminaire efficacy: 73 Lumens/Watt
Color Rendition Index: 82 CRI
40K hour lifespan
(3x) 10' (305cm) vertical mounting kit cable included
30' (915cm) horizontal mounting kit cable sold separately
8' (244cm) power feed cord and canopy included
Horizontal mounting kit supports 12 lamps MAX
MAX interconnected 14.5W lamps: 34
Title 20 compliant
Dark Sky compliant
1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Swell String 3 Mixed: 12.3LBS 16.5" X 16" X 14.5"
5.6KGS 42cm X 41cm X 37cm

NOTES

Title 24 compliant model available upon request
Custom requests can be considered on volume orders




FINISHES




DIMENSIONS


SWELL STRING 3 MIXED VERTICAL



SWELL STRING 3 MIXED HORIZONTAL



HORIZONTAL MOUNTING KIT



12" JUMPER CABLE



SWELL STRING SINGLE

DESCRIPTION

Elegant and infinitely flexible, Swell String Single is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String Single allows infinite customization, pick your own collection to create a dramatic and personal grouping to fit any environment. Swell String Single can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

FIXTURE TYPE

Pendant

LIGHT SOURCE

E26-3000K PAR LED bulb

PRODUCT CODES

Swell String Single Narrow (White/Brass):	SWEL STR SNG NRW WHT/BRA
Swell String Single Narrow (Black/Brass):	SWEL STR SNG NRW BLK/BRA
Swell String Single Narrow (Brass/Brass):	SWEL STR SNG NRW BRA/BRA
Swell String Single Medium (White/Brass):	SWEL STR SNG MED WHT/BRA
Swell String Single Medium (Black/Brass):	SWEL STR SNG MED BLK/BRA
Swell String Single Medium (Brass/Brass):	SWEL STR SNG NRW BRA/BRA
Swell String Single Wide (White/Brass):	SWEL STR SNG WID WHT/BRA
Swell String Single Wide (Black/Brass):	SWEL STR SNG WID BLK/BRA
Swell String Single Wide (Brass/Brass):	SWEL STR SNG NRW BRA/BRA
Swell Power Feed and Canopy (White):	SWEL ACC KIT WHT
Swell Power Feed and Canopy (Black):	SWEL ACC KIT BLK
Swell 12" Extension Cord (White):	SWEL STR ACC EXT 12 WHT
Swell 12" Extension Cord (Black):	SWEL STR ACC EXT 12 BLK
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT

LIGHT CONTROL

Hard-wired

ELV dimmer recommended

FEATURES

Fully dimmable

For indoor and outdoor use

Damp rated

Interchangeable shades

Interconnectable sockets

SPECIFICATIONS

Voltage: 120V 60Hz

Power consumption: 11W

Color temperature: 3000K

Luminosity: 800 Lumens

Luminaire efficacy: 73 Lumens/Watt

Color Rendition Index: 82 CRI

40K hour lifespan

(1x) 10' (305cm) vertical mounting kit cable included

30' (915cm) horizontal mounting kit cable sold separately

8' (244cm) power feed cord and canopy sold separately

Horizontal mounting kit supports 12 lamps MAX

MAX interconnected 14.5W lamps: 34

Title 20 compliant

Dark Sky compliant

1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Swell String Single: 5.25LBS 15.5" X 16" X 14.5"
2.4KGS 39cm X 41cm X 37cm

NOTES

Title 24 compliant model available upon request

Custom requests can be considered on volume orders



FINISHES



WHITE/
BRASS




BLACK/
BRASS




BRASS/
BRASS

DIMENSIONS


SWELL STRING SINGLE NARROW




SWELL STRING SINGLE MEDIUM




SWELL STRING SINGLE WIDE




POWER FEED CORD



CANOPY



HORIZONTAL MOUNTING KIT



12" EXTENSION CORD



Pablo

SWELL CHANDELIER

DESCRIPTION

Elegant with undulating contours, Swell Chandelier is an LED chandelier designed to seamlessly blend the line between indoor and outdoor lighting. Swell Chandelier is available in groupings of 3 and 6 lamps, creating a dramatic and personal grouping to fit any environment.

FIXTURE TYPE

Pendant

LIGHT SOURCE

E26-3000K PAR LED bulb

PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL NRWHT/BRA
Swell Single Narrow (Black/Brass):	SWEL NRWBLK/BRA
Swell Single Narrow (Brass/Brass):	SWEL NRW BRA/BRA
Swell Single Medium (White/Brass):	SWEL MED WHT/BRA
Swell Single Medium (Black/Brass):	SWEL MED BLK/BRA
Swell Single Medium (Brass/Brass):	SWEL MED BRA/BRA
Swell Single Wide (White/Brass):	SWEL WID WHT/BRA
Swell Single Wide (Black/Brass):	SWEL WID BLK/BRA
Swell Single Wide (Brass/Brass):	SWEL WID BRA/BRA
17" Chandelier Canopy:	CHND CAN17
26" Chandelier Canopy:	CHND CAN26

LIGHT CONTROL

Hard-wired
ELV dimmer recommended

FEATURES

Fully dimmable
For indoor and outdoor use
Damp rated
Interchangeable shades
Dark Sky compliant

SPECIFICATIONS

Voltage: 120V 60Hz
Power consumption: 11W per lamp
Color temperature: 3000K
Luminosity: 800 Lumens per lamp
Luminaire efficacy: 73 Lumens/Watt
Color Rendition Index: 82 CRI
40K hour lifespan
Cord length: 10' (305cm)
1 year warranty

CERTIFICATIONS



PACKAGING WEIGHT AND DIMENSIONS

Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm
Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm

NOTES

Title 24 compliant model available upon request
Custom requests can be considered on volume orders
Clear anodized aluminum finish available on special orders



FINISHES



WHITE/
BRASS



BLACK/
BRASS




BRASS/
BRASS




CANOPY
WHITE

DIMENSIONS


SWELL CHANDELIER 3



CHANDELIER CANOPY 17"



SWELL CHANDELIER 6



CHANDELIER CANOPY 26"

