

) david  
trubridge



Floral







# Floral



Designed to offer a softer more decorative offering alongside Coral which is more structured. Floral was designed three years after Coral light, based on a geometric polyhedra forms. Floral was designed to offer a softer more decorative offering alongside Coral which is more structured. Floral comes in 5 sizes. The plywood finish can be all natural or painted on one side thus creating a stock selection of 11 options.



# Features

## Shipped Kitset

Seed System kitset lightshades are on average 1/30th of the volume of the assembled light. This aims to help minimize the effects of shipping and to reduce the design's environmental footprint.

## Compliance

CE

AS/NZS

(Declarations of conformity available on request).

## Care Instructions

All wooden and/or polycarbonate lights are intended for use in dry interior conditions only and can be cleaned with a soft cloth dampened slightly in warm water when the light is switched off. Do not use detergents.

## Light sizes

David Trubridge kitset lightshades come in various sizes, making it easy to find the right size to any interior space whether it's small or large.

## EPD Certified

An EPD is a standardised and verified way of quantifying the environmental impacts of a product, based on a consistent set of rules that have been developed through a stakeholder consultation process.

## Warranty

This light is warranted for three years from date of purchase for failure of parts.



# Technical Data



400mm/16"

600mm/24"

800mm/31"

1000mm/39"

1200mm/47"

1600mm/63"

Diameter:  
400mm / 16"

Diameter:  
600mm / 24"

Diameter:  
800mm / 31"

Diameter:  
1000mm / 39"

Diameter:  
1200mm / 47"

Diameter:  
1600mm / 63"

Weight:  
0.4kg / 0.88lb

Weight:  
1kg / 2.20lb

Weight:  
1.5kg / 3.30lb

Weight:  
2.3kg / 5.07lb

Weight:  
3.8kg / 8.37lb

Weight:  
9kg / 19.84lb

2m / 6.5ft

2m / 6.5ft

2m / 6.5ft

3m / 9.8ft

5m / 16.4ft

5m / 16.4ft

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Bamboo plywood  
(Sourced from FSC  
accredited factory)

Nylon

Nylon

Nylon

Nylon

Nylon

Aluminium

Hangs on cord

Hangs on cord

Hangs on cord

1 x Suspension Wire

1 x Suspension Wire

1 x Suspension Wire

290mm x 170mm x  
85mm  
11" x 7" x 3"  
0.004m³ / 0.141ft³  
0.7kg / 1.54lb

385mm x 215mm x  
105mm  
15" x 8" x 4"  
0.009m³ / 0.317ft³  
1.4kg / 3.00lb

360 x 250 x 130  
14" x 10" x 5"  
0.012m³ / 0.423ft³  
2kg / 4.41lb

365 x 320 x 140  
14" x 10" x 6"  
0.016m³ / 0.577ft³  
2.7kg / 5.95lb

365 x 425 x 125  
14" x 17" x 5"  
0.019m³ / 0.671ft³  
4.2kg / 9.25lb

470 x 395 x 180  
19" x 16" x 7"  
0.033m³ / 1.165ft³  
9.5kg / 20.94lb

\*Black comes with black cordset and fasteners. All others come with white cordset and clear fasteners. Custom lengths available on request.

Dimensions

Cordset\*

Material

Fasteners

Suspension

Packaging

## You will need

Fixings for cone gripper (fixing screws NOT SUPPLIED).

Note: Choose appropriate hardware to attach base plate (Fig.1) to ceiling substrate.





Fig 1. Base Plate


# Installation

1000mm/39"  
1200mm/47"  
1600mm/63"




### Step 1.

Follow the order of each component in diagram. Adjust the bulb / lamp to mid way in the pendant lightshade shown in Step 2 and then tighten.




### Step 2.

Unscrew baseplate.



### Step 3.

Use appropriate fixing screw to mount base plate (Fig.1).




### Step 4.

Remove cable from cone. Screw cone back onto baseplate. Re-insert cable and level light. Once desired position is set, trim excess cable.


# Diagrams

400mm/16"




North America: E26, Max 60 Watts  
120v AC 60hz  
Rest of World: E14, Max 60 Watts  
230-240v AC 50hz

600mm/24"  
800mm/31"




North America: E26, Max 60 Watts  
120v AC 60hz  
Rest of World: E27, Max 60 Watts  
230-240v AC 50hz

1000mm/39"  
1200mm/47"  
1600mm/63"



North America: E26, Max 60 Watts  
120v AC 60hz  
Rest of World: E27, Max 60 Watts  
230-240v AC 50hz



# Finish Choices




Natural

All bamboo (our primary material) is secondary product, from renewable forests in China grown as a food source. We have visited these plantations and are satisfied with the quality of their systems.



Caramel

Caramel bamboo starts out as natural and is carbonised using steam to caramelise the natural sugars which darken the bamboo. This process creates a different look without using chemicals.



Painted Lights

We use an acrylic low VOC (volatile organic compound) paint that is made in New Zealand. Colour swatches are available in all retailers. See the Resene website for more info.  
[www.resene.co.nz](http://www.resene.co.nz)





Natural



Caramel



Aqua



Lime




Red



Orange



Yellow



Black 1 Side (Outside)



Black 1 Side (Inside)



Black Two Sides



White One Side



White Two Sides

# Contact

**New Zealand**  
**Showroom/Head office**



**spencer**  
**interiors**

**spencer interiors**  
vancouver bc canada  
telephone: 604 736.1378  
[www.spencerinteriors.ca](http://www.spencerinteriors.ca)

## **Address**

**Corner Station Road &  
Groome Place, Whakatu,  
Hastings, Hawkes Bay,  
New Zealand**